ELSEVIER

Journal of Power Sources 68 (1997) 777–779

JOURNAL OF POWER SOURCES

Author Index of Volume 68

Abe, M., 301
Abe, T., 216
Adachi, A., 348
Akai, T., 623
Akiba, E., 613
Alloin, F., 43, 372
Amine, K., 126, 604
Andoh, H., 13
Andrukaitis, E., 652, 656
Aoki, Y., 102
Aragane, J., 13
Arai, H., 711, 716
Arai, J., 304
Arai, S., 553
Argyriou, D., 570
Armstrong, A.R., 19
Arnaud, R., 43
Arnold, G., 582
Asada, T., 674
Asahina, H., 59, 249, 471
Asano, M., 216
Atanasoski, R., 320
Atsumi, T., 641
Aurbach, D., 91, 443, 463
Avery, N.R., 191
Awano, H., 114
Aydinol, M.K., 664

Bach, S., 586
Bae, J.-S., 669
Baffier, N., 586
Banov, B., 578
Barker, J., 291, 726
Bates, J.B., 153
Baudry, P., 432
Bélanger, A., 368
Benrabah, D., 43, 372
Berg, H., 24
Bergström, Ö., 24
Besenhard, J.O., 87, 328
Biensan, Ph., 120
Bindra, C., 287, 296
Bito, Y., 245
Black, K.J., 191
Bloch, D., 432
Bohnke, O., 412
Borghini, M.C., 52
Boyle, T.J., 634
Brousse, T., 412
Broussely, M., 8, 120, 239
Bruce, P.G., 19
Burstein, L., 277
Buttry, D.A., 739
Butz, A., 582

Ceder, G., 664
Chadwick, A., 120
Chakoumakos, B.C., 613
Chausse, A., 232
Chen, C.H., 377
Chen, J.C., 440
Chen, J.M., 242, 533, 558
Chen, K.S., 519
Chen, L., 344, 530
Cheng, C.H., 440
Chiou, Y.C., 242, 533
Cho, B.W., 361
Cho, H.G., 271
Choi, B.-K., 357
Choi, Y.-M., 524, 593
Choquette, Y., 368
Christensen, L., 570
Chun, H.S., 361
Chusid, O., 91, 463
Currie, J.C., 565

Dahn, J.R., 195, 201, 549
Dan, P., 443
Davidson, I.J., 618
De-Andersen, S.Y., 590
Dees, D.W., 570
Delmas, C., 120
Demourgues, A., 120
Deschamps, M., 110, 236
Doi, H., 364
Doughty, D.H., 634

Eguchi, K., 195
Eichinger, G., 381, 387
Ein-Eli, Y., 91
Engle, M., 320
Esaka, T., 459
Exnar, I., 720

Fabian, M., 381, 387
Fey, G.T.K., 159, 519, 549
Fischer, J.E., 287, 296
Fragnaud, P., 412
Frison, J.C., 110
Fujieda, T., 480
Fujimoto, H., 99
Fujine, S., 459
Fujita, K., 735
Fujita, Y., 126, 604
Fujiwara, M., 553
Fujiyoshi, H., 139
Fukuda, H., 13
Fukumoto, Y., 301
Fukunaga, T., 311
Funabiki, A., 221, 227

Gauthier, M., 368
Genies, S., 110
Goldberger, W.M., 106
Granot, E., 91
Grätzel, M., 720
Gu, H.-B., 660
Guerfi, A., 368
Gustafsson, T., 24
Guyomard, D., 692, 698

Haas, O., 267, 629
Hamwi, A., 708
Hanafusa, K., 448
Handa, M., 492
Hany, P., 708
Harada, T., 216
Hardgrave, M.T., 590
Hasegawa, M., 245
Hatake, S., 416
Hayakawa, H., 613
Hayashi, K., 316
Hazama, T., 311
Hemmer, R.P., 582
Hess, M., 204
Higaki, K., 352
Higuchi, H., 212
Higuchi, S., 263, 480
Hioki, T., 637, 641
Ho, S.M., 440
Honbo, H., 208, 436
Hong, L., 187
Horiba, T., 208, 436
Hosotubo, T., 263
Hosoya, M., 492
Huang, H., 19, 344, 530
Huang, S.Y., 720
Huang, X., 344, 530
Huggins, R.A., 582
Hurng, W.M., 440, 558
Hwang, B.J., 519
Hyung, Y.-E., 660

Ichimura, T., 253
Ijuuin, T., 471
Ikeda, K., 216
Ikeya, H., 13
Imanishi, M., 510
Inaba, M., 216, 221, 227
Inaba, Y., 145
Inoue, H., 301
Ishihara, K., 3
Ishii, Y., 536
Ishikawa, M., 30, 253, 501
Ishikawa, R., 13
Ito, H., 392
Ito, S., 245
Ito, Y., 304
Itoh, T., 333
Iwahori, T., 78, 427
Iwakura, C., 301
Iwanaga, M., 646
Iyoda, M., 487
Izuchi, S., 37
Izumi, F., 536, 613

Jak, M.J.G., 590
Jean, M., 232
Jeng, I.-D., 593
Jeong, K.M., 271
Jin, B.-S., 660
Johnson, A.P., 402
Johnson, B.J., 634
Johnson, C.S., 570
Josefowicz, J.Y., 287

Kageyama, H., 397, 623, 686
Kagohashi, T., 510
Kaida, S., 609
Kamata, M., 459
Kamegashira, N., 641
Kanari, K., 451
Kanda, K., 459
Kanda, M., 102, 553
Kang, H.Y., 271
Kanno, R., 145, 623, 686
Kasuh, T., 99
Katagiri, H., 680
Katayama, Y., 348
Kavan, L., 720
Kawakami, A., 212, 307
Kawakita, J., 680
Kawamoto, Y., 145
Kawamura, T., 263
Kawatate, Y., 221
Kelder, E.M., 24, 65, 377, 590
Kim, H.S., 361
Kim, J.T., 361
Kim, J.-U., 660
Kim, Y.-W., 357
Kinoshita, K., 106
Kishi, T., 348, 680
Kita, F., 307
Kitaba, K., 13

Elsevier Science S.A.

Kitano, S., 646
Kitoh, K., 258
Ko, Y., 660
Kobayakawa, K., 674
Kobayashi, H., 307, 623, 686
Kobayashi, S., 301
Kobayashi, Y., 407, 427, 623
Kohan, A.F., 664
Koike, S., 480
Koiwai, A., 637
Koksbang, R., 291, 726
Kominato, A., 471
Konishi, T., 536
Korba, G., 320
Korobtsev, V.P., 326
Koseki, M., 436
Kouguchi, M., 131
Koyama, S., 416
Kozono, Y., 208, 436
Krause, L.J., 320
Kubo, K., 553
Kumagai, N., 600
Kumai, K., 427
Kurotaki, M., 249
Kuwano, J., 416, 421

Lamanna, W., 320
Lascaud, S., 432
Lavela, P., 704
Lebraud, E., 204
Lee, B.S., 271
Lee, R., 296
Lee, Y.S., 271
Le Gal La Salle, A., 692
Leising, R.A., 730
Leroux, F., 698
Levasseur, A., 204
Levi, E., 91
Levi, M., 91
Levy, S.C., 75
Li, G., 344
Li, W., 549, 565
Lie, W., 187
Liebenow, C., 328
Lin, Y.L., 519
Liu, Q., 287
Liu, W., 344
Loch, R., 320
Loong, C.-K., 570
Lu, Z., 344, 530

Mabuchi, A., 99
Machill, S., 69, 506
Majastre, H., 432
Majima, M., 448
Maki, Y., 623
Manev, V., 578
Mansot, J.-L., 698
Mansuetto, M.F., 153, 570
Marchand, R., 412
Margalit, N., 723
Markovsky, B., 91
Maruta, J., 126
Masquelier, C., 623
Mastragostino, M., 52
Matsuda, Y., 30, 253, 501
Matsui, K., 13
Matsumoto, Y., 497
Matsuno, H., 646
Matue, T., 333
Matyukha, V.A., 326
McDonald, R.C., 352
McMillan, R.S., 618
Menachem, C., 277
Mengeritsky, E., 443
Messina, R., 232
Mishima, H., 78
Miura, T., 348, 680
Miyadera, H., 208, 436
Miyamori, M., 416
Miyashiro, H., 427
Mizutani, M., 311
Mizutani, Y., 216
Momchilov, A., 578
Momma, T., 392, 497
Momose, H., 208
Moon, S.-I., 660
Morales, J., 704
Mori, S., 59, 249, 471
Morita, M., 30, 253, 501
Morris, L., 291
Mouri, T., 545
Muranaka, Y., 208, 304, 436
Murata, T., 245
Murray, J.J., 618

Nagayama, M., 166, 609
Nakagome, T., 536
Nakai, I., 536
Nakajima, H., 263
Nakamura, O., 397, 407, 623, 686
Nakane, K., 561
Nemoto, H., 258
Nemoto, Y., 316, 476
Nesper, R., 629
Nie, J., 307
Nishida, Y., 561
Nishijima, M., 510
Nishikawa, F., 536
Nishimura, K., 208, 304, 436
Nishina, T., 333, 483, 487, 540
Nitta, Y., 166, 609
Noda, S., 637, 641
Novák, P., 267, 629

Ochiai, S., 37
Oda, M., 436
Oesten, R., 582
Oguchi, M., 283
Ogumi, Z., 216, 221, 227
Oh, S.M., 338
Ohashi, S., 301
Ohsaki, T., 102, 283
Ohta, A., 166
Ohzuku, T., 131, 646
Oishi, T., 364, 735
Oka, Y., 448
Okada, K., 735
Okada, M., 545
Okada, S., 515, 711, 716
Okamura, K., 166
Ooto, H., 600
Osaka, T., 392, 497
Oyama, N., 135, 739

Paik, C.H., 361
Papanek, P., 296
Park, C.W., 338
Peled, E., 277
Pereira-Ramos, J.P., 586
Pérès, J.P., 120
Perton, F., 120
Piffard, Y., 692, 698
Planchat, J.P., 8
Pope, J.M., 739
Pyun, S.-I., 524, 593, 669

Rahner, D., 69, 506
Rigobert, G., 8
Roh, Y.B., 271
Rosenberg, Y., 277
Rougier, A., 120
Ryu, S.K., 271

Saïdi, E.S., 726
Saïdi, M.Y., 291, 726
Saito, K., 476
Saito, Y., 416, 451
Sakurai, Y., 455, 711, 716
Sanchez, J.-Y., 43, 372
Sánchez, L., 704
Sarre, G., 8
Sasaki, H., 283
Sasaki, Y., 492
Sato, H., 333, 540
Sato, N., 471
Sato, T., 739
Sato, Y., 674
Satoh, A., 283
Satoh, T., 561
Sawada, Y., 263
Schechter, A., 91
Scheifele, W., 267
Schlaikjer, C.R., 402
Schleich, D.M., 412
Schönfelder, H.H., 258
Schoonman, J., 65, 377, 590
Scrosati, B., 392
Sheu, S.P., 242, 533, 558
Shi, H., 291, 726
Shih, H.C., 242
Shih, I.C., 558
Shin, K.-H., 357
Shinshu, F., 609
Shiraishi, Y., 536
Shirane, T., 145
Shiroki, H., 102
Shodai, T., 515
Shoji, E., 739
Shu, Z.X., 618
Sigala, C., 692
Simoneau, M., 368
Siroma, Z., 221
Siury, K., 69
Smagin, A.A., 326
Song, X., 106
Sonoda, T., 307
Sotomura, T., 135, 739
Spahr, M.E., 629
Spellman, L.M., 106
Sugiyama, J., 637, 641
Sumiya, K., 114
Summerfield, J., 320
Sun, L., 352
Suzuki, H., 59
Suzuki, S., 13, 102

Tabuchi, M., 397, 407, 623, 686
Tabuchi, T., 216
Tada, H., 301
Tada, T., 448
Takada, T., 613
Takahashi, D., 540
Takahashi, K., 536, 545
Takami, N., 283
Takamura, T., 114
Takano, K., 451
Takano, M., 686
Takeda, Y., 510
Takehara, Z., 82
Takei, K., 78, 427
Takeuchi, E.S., 730
Takeuchi, K., 37, 78
Takeuchi, S., 208, 436
Takeuchi, T., 397
Tanaka, G., 448
Tanaka, T., 78, 427
Tatsuma, T., 135
Tatsumi, K., 263
Terada, N., 78, 427
Terasaki, M., 311
Thackeray, M.M., 153, 570
Thomas, J.O., 24
Tianhong, L., 187
Tirado, J.L., 704
Tobishima, S., 316, 455, 476, 515
Todorov, Y., 578
Tokugawa, H., 674
Tokumitsu, K., 99
Tournoux, M., 698
Toyoguchi, Y., 245
Tran, T.D., 106
Trifonova, A., 578
Tsutsumi, H., 364, 735
Tukamoto, H., 604

Uchida, I., 139, 333, 483, 487, 540
Uchida, Y., 497
Ueda, A., 131, 646
Uenae, K., 212
Ura, T., 114

Virey, D., 8
Vissers, D.R., 570
Voigt, J.A., 634

Wagner, M.W., 328
Wakabayashi, N., 480
Waki, S., 139
Walk, C.R., 723
Wang, K.S., 159
Wang, X.-M., 483, 487
Wang, Z., 344
Watanabe, H., 421

Weill, F., 120
Weissman, I., 91, 443
West, K., 412
Willmann, P., 120
Wilson, A.M., 195
Winter, M., 87, 267
Wohlfahrt-Mehrens, M., 582
Wolstenholme, J., 565

Xing, W., 195
Xue, R., 344, 530

Yagasaki, E., 448
Yamachi, M., 311
Yamada, S., 553
Yamaguchi, S., 249
Yamaki, J., 316, 455, 476, 515, 711, 716
Yamamoto, H., 397
Yamamoto, O., 510
Yan, H., 530
Yanagawa, T., 131
Yang, C.Y., 440
Yang, J., 87
Yang, S.M., 159
Yao, C.Y., 242, 533, 558
Yasuda, H., 126, 604
Yasukawa, E., 471
Yazami, R., 110, 236, 239, 708
Yoda, S., 3
Yokoto, K., 59
Yoneda, K., 459
Yonei, A., 59, 249
Yoshida, H., 311, 448
Yun, K.S., 361
Yun, M.-S., 660

Yuqin, C., 187

Zaban, A., 91
Zaghib, K., 239, 368
Zanelli, A., 52
Zank, G., 195
Zhang, M.J., 549
Zhang, T., 287
Zheng, T., 201
Zhou, P., 296
Zinigrad, E., 443

ELSEVIER

Journal of Power Sources 68 (1997) 781–793

JOURNAL OF POWER SOURCES

Subject Index of Volume 68

Ab initio calculations
polymer and salt selection for lithium polymer batteries, 43
Absorption resistance
effect of the lithium content on electrochemical lithium intercalation into amorphous and crystalline powdered $Li_{1\pm\delta}Mn_2O_4$ electrodes prepared by sol–gel method, 593
Additives
effect of polysulfide-containing electrolyte on the film formation of the negative electrode, 328
improvement in lithium cycling efficiency by using additives in lithium metal, 476
improvement in lithium cycling efficiency by using additives in lithium metal, 476
Aggregation
helical aggregate formation of cholate salts in poly(*N*-vinyl-2-pyrrolidinone) gel and its effect on conductivity enhancement, 364
Alternating current impedance
unique charge/discharge properties of carbon materials with different structures, 271
Aluminium alloys
studies of Al–Al_3Ni eutectic mixtures as insertion anodes in rechargeable lithium batteries, 506
Aluminum protection
corrosion of aluminum at high voltages in non-aqueous electrolytes containing perfluoroalkylsulfonyl imides; new lithium salts for lithium-ion cells, 320
Amorphous oxides
new amorphous oxides as high capacity negative electrodes for lithium batteries: the Li_xMVO_4 (M = Ni, Co, Cd, Zn; $1 < x \leq 8$) series, 692
Analysis-of-variance (ANOVA)
the study of carbon half-cell voltage in lithium-ion secondary batteries, 242
Analytical techniques
recent studies on the correlation between surface chemistry, morphology, three-dimensional structures and performance of Li and Li–C intercalation anodes in several important electrolyte systems, 91
Anode materials
graphite multilayer thin films: a new anode material for Li-ion microbatteries synthesis and characterization, 204
study on C_xN and C_xS with disordered carbon structure as the anode materials for secondary lithium batteries, 245
electrochemical studies of a new anode material, $Li_{3-x}M_xN$ (M = Co, Ni, Cu), 510
Anodes
a key technology to improve the cyclic performances of carbonaceous materials for lithium secondary battery anodes, 114
pyrolysed silicon-containing polymers as high capacity anodes for lithium-ion batteries, 195
X-ray photoelectron spectroscopy analyses of lithium intercalation and alloying reactions on graphite electrodes, 208
development of 1 kWh (300 Ah) class lithium-ion battery, 448
studies of Al–Al_3Ni eutectic mixtures as insertion anodes in rechargeable lithium batteries, 506
anode performance of a new layered nitride $Li_{3-x}Co_xN$ ($x = 0.2$–0.6), 515

Batteries
graphite electrodes with tailored porosity for rechargeable ion-transfer batteries, 267
Battery module
the 200 V 2 kWh energy storage multicell system with 25 Wh Li/LiV_3O_8 single cells, 78
Battery voltage
ab initio calculation of the intercalation voltage of lithium-transition-metal oxide electrodes for rechargeable batteries, 664
Benzene
improvement in lithium cycling efficiency by using additives in lithium metal, 476
Binders
electrochemical and X-ray photospectroscopy studies of polytetrafluoroethylene and polyvinylidene fluoride in Li/C batteries, 344
performance study of the $LiCoO_2$/graphite system, 440
Bis-perfluoroalkylsulfonyl imide salts
corrosion of aluminum at high voltages in non-aqueous electrolytes containing perfluoroalkylsulfonyl imides; new lithium salts for lithium-ion cells, 320

Calorimetry
thermal studies of a lithium-ion battery, 451
Capacity
great reversible capacity of carbon lithium electrode in solid polymer electrolyte, 236
development of 1 kWh (300 Ah) class lithium-ion battery, 448
Capacity loss
irreversible capacity loss of graphite electrode in lithium-ion batteries, 187
kinetic analysis of capacity fade in lithium/coke half-cells, 191
Carbon
recent trends in carbon negative electrode materials, 99
high-capacity lithium-ion cells using graphitized mesophase-pitch-based carbon fiber anodes, 102
hysteresis observed in quasi open-circuit voltage measurements of lithium insertion in hydrogen-containing carbons, 201
great reversible capacity of carbon lithium electrode in solid polymer electrolyte, 236
study on C_xN and C_xS with disordered carbon structure as the anode materials for secondary lithium batteries, 245
nanostructure criteria for lithium intercalation in non-doped and phosphorus-doped hard carbons, 258
high capacity carbon anode materials: structure, hydrogen effect, and stability, 296
electrochemical intercalation of lithium into carbons using a solid polymer electrolyte, 368

Elsevier Science S.A.

new lithium-ion conducting compounds $3Li_3N$–MI (M = Li, Na, K, Rb) and their application to solid-state lithium-ion cells, 416
Carbonaceous materials
a key technology to improve the cyclic performances of carbonaceous materials for lithium secondary battery anodes, 114
Carbon anodes
anode characteristics of non-graphitizable carbon fibers for rechargeable lithium-ion batteries, 263
anodic behavior of a carbon plate in an LiCl–KCl binary molten salt, 348
Carbon dioxide
effect of carbon dioxide on lithium anode cycleability with various substrates, 497
Carbon fibers
high-capacity lithium-ion cells using graphitized mesophase-pitch-based carbon fiber anodes, 102
chemical passivation of lithiated graphitized mesocarbon fibers, 239
anode characteristics of non-graphitizable carbon fibers for rechargeable lithium-ion batteries, 263
unique charge/discharge properties of carbon materials with different structures, 271
Carbon fluoride
low-temperature carbon fluoride for high power density lithium primary batteries, 708
Carbon materials
low-crystallized carbon materials for lithium-ion secondary batteries, 212
Carbon negative electrodes
irreversible capacity loss of graphite electrode in lithium-ion batteries, 187
Carbon structure
real-time X-ray diffraction measurement of carbon structure during lithium-ion intercalation, 249
Cathode active materials
synthesis and electrochemical properties for $LiNiO_2$ substituted by other elements, 553
low temperature synthesis and electrochemical characteristics of $LiFeO_2$ cathodes, 711
Cathode degradation
performances of Li/Li_xCoO_2 cells in $LiAlCl_4 \cdot 3SO_2$ electrolyte, 338
Cathode materials
organosulfur polymer batteries with high energy density, 135
microvoltammetric studies on single particles of battery active materials, 139
new inverse spinel cathode materials for rechargeable lithium batteries, 159
microwave synthesis of $LiCoO_2$ cathode materials, 530
preparation and electrochemical investigation of $LiMn_{2-x}Me_xO_4$ (Me: Ni, Fe, and $x = 0.5, 1$) cathode materials for secondary lithium batteries, 604
spectroscopic identification of 2,5-dimercapto-1,3,4-thiadiazole and its lithium salt and dimer forms, 739
Cathodes
new and optimised lithium manganese oxide cathodes for rechargeable lithium batteries, 19
development of 1 kWh (300 Ah) class lithium-ion battery, 448
synthesis and electrochemical characteristics of $Li(Ni \cdot M)O_2$ (M = Co, Mn) cathode for rechargeable lithium batteries, 545
the effects of the stoichiometry and synthesis temperature on the preparation of the inverse spinel $LiNiVO_4$ and its performance as a new high voltage cathode material, 549
synthesis and properties of gallium-doped $LiNiO_2$ as the cathode material for lithium secondary batteries, 561
influence of morphology on the stability of $LiNiO_2$, 565
electrochemistry of $LiMnO_2$ over an extended potential range, 618
ab initio calculation of the intercalation voltage of lithium-transition-metal oxide electrodes for rechargeable batteries, 664
synthesis and characterization of a new trimetallic cathode material for lithium batteries, 730
Charge-transfer resistance
a.c. impedance analysis of electrochemical lithium intercalation into highly oriented pyrolytic graphite, 227
Chemical diffusivity
electrochemical lithium intercalation into and de-intercalation from porous $LiCoO_2$ electrode by using potentiostatic current transient technique, 524
Chemical lithiation
chemical passivation of lithiated graphitized mesocarbon fibers, 239
Chemical method
intercalation of lithium into natural graphite flakes and heat-treated polyimide films in ether-type solvents by chemical method, 216
Chemical vapour deposition
thin film solid electrolytes and electrodes for rechargeable lithium-ion batteries, 65
Cholate salts
helical aggregate formation of cholate salts in poly(*N*-vinyl-2-pyrrolidinone) gel and its effect on conductivity enhancement, 364
Cobalt
new inverse spinel cathode materials for rechargeable lithium batteries, 159
in situ Raman spectroscopic study of Li_xCoO_2 electrodes in propylene carbonate solvent systems, 333
performances of Li/Li_xCoO_2 cells in $LiAlCl_4 \cdot 3SO_2$ electrolyte, 338
all oxide solid-state lithium-ion cells, 412
anode performance of a new layered nitride $Li_{3-x}Co_xN$ ($x = 0.2$–0.6), 515
influence of the $LiCoO_2$ particle size on the performance of lithium-ion batteries, 533
electrochemical characterization of thin-film $LiCoO_2$ electrodes in propylene carbonate solutions, 540
synthesis and electrochemical characteristics of $Li(Ni \cdot M)O_2$ (M = Co, Mn) cathode for rechargeable lithium batteries, 545
$LiMn_{2-x}Co_xO_4$ cathode with enhanced cycleability, 578
Cobalt nitride
electrochemical studies of a new anode material, $Li_{3-x}M_xN$ (M = Co, Ni, Cu), 510
Cobalt oxide
development of 10 Wh class lithium secondary cells in the 'New Sunshine Program', 13
Cobalt oxyhydroxide
$LiNi_{1-x}Co_xO_2$ prepared at low temperature using β-$Ni_{1-x}Co_xOOH$ and either $LiNO_3$ or LiOH, 126
Cobalt substitution
synthesis and electrochemical properties for $LiNiO_2$ substituted by other elements, 553
Co-intercalation
intercalation of lithium into natural graphite flakes and heat-treated polyimide films in ether-type solvents by chemical method, 216
Coke
kinetic analysis of capacity fade in lithium/coke half-cells, 191
Concentration dependence
application of the microelectrode technique to the kinetic study of lithium deposition/dissolution and alloying in organic solutions, 483
Conductivities
properties and potential application of silica-gelled electrolytes for lithium-ion batteries, 387
Conductivity
on the characteristics of electrolytes with new lithium imide salts, 307
helical aggregate formation of cholate salts in poly(*N*-vinyl-2-pyrrolidinone) gel and its effect on conductivity enhancement, 364
microelectrode investigation of the lithium redox behavior in plasticized polymer electrolytes, 487

Conductors
performance study of the $LiCoO_2$/graphite system, 440
Copper
synthesis and characterization of a new trimetallic cathode material for lithium batteries, 730
Copper nitride
electrochemical studies of a new anode material, $Li_{3-x}M_xN$ (M = Co, Ni, Cu), 510
Coulombic efficiency
in situ scanning vibrating electrode technique for lithium metal anodes, 501
Cross-linked polyethers
polymer and salt selection for lithium polymer batteries, 43
Crystal-phase transition
thermal studies of a lithium-ion battery, 451
Crystal structure
graphite structure and lithium intercalation, 291
synthesis and properties of gallium-doped $LiNiO_2$ as the cathode material for lithium secondary batteries, 561
Crystal structure changes
observation of structure change due to discharge/charge process of V_2O_5 prepared by ozone oxidation method, using in situ X-ray diffraction technique, 674
Current collectors
electrochemical characterization of various metal foils as a current collector of positive electrode for rechargeable lithium batteries, 301
corrosion of aluminum at high voltages in non-aqueous electrolytes containing perfluoroalkylsulfonyl imides; new lithium salts for lithium-ion cells, 320
Current transient
electrochemical lithium intercalation into and de-intercalation from porous $LiCoO_2$ electrode by using potentiostatic current transient technique, 524
Cycleability
design and performance of 10 Wh rechargeable lithium batteries, 436
effect of carbon dioxide on lithium anode cycleability with various substrates, 497
$LiMn_{2-x}Co_xO_4$ cathode with enhanced cycleability, 578
Cycle life
performance characteristics of lithium-ion cells using in situ polymerized electrolytes, 352
Cycle performances
more details on the new $LiMnO_2$ rechargeable battery technology developed at Tadiran, 443
Cyclic performances
a key technology to improve the cyclic performances of carbonaceous materials for lithium secondary battery anodes, 114
Cyclic voltammetry
recent studies on the correlation between surface chemistry, morphology, three-dimensional structures and performance of Li and Li–C intercalation anodes in several important electrolyte systems, 91
microvoltammetric studies on single particles of battery active materials, 139
Cyclic voltammogram
unique charge/discharge properties of carbon materials with different structures, 271
Cycling behavior
irreversible capacity loss of graphite electrode in lithium-ion batteries, 187
observation of structure change due to discharge/charge process of V_2O_5 prepared by ozone oxidation method, using in situ X-ray diffraction technique, 674
Cycling behaviour
studies of $LiNiO_2$ in lithium-ion batteries, 558
Cycling efficiency
electrolyte for high voltage $Li/LiMn_{1.9}Co_{0.1}O_4$ cells, 316
improvement in lithium cycling efficiency by using additives in lithium metal, 476

Dead lithium
improvement in lithium cycling efficiency by using additives in lithium metal, 476
Dendritic lithium
improvement in lithium cycling efficiency by using additives in lithium metal, 476
Diethyl carbonate
chemical properties of various organic electrolytes for lithium rechargeable batteries 1. Characterization of passivating layer formed on graphite in alkyl carbonate solutions, 59
Diffusion
electrochemical impedance spectroscopy studies of lithium diffusion in doped manganese oxide, 634
Diffusion coefficient
application of the microelectrode technique to the kinetic study of lithium deposition/dissolution and alloying in organic solutions, 483
electrochemical characterization of thin-film $LiCoO_2$ electrodes in propylene carbonate solutions, 540
observation of structure change due to discharge/charge process of V_2O_5 prepared by ozone oxidation method, using in situ X-ray diffraction technique, 674
Diffusivity
effect of the lithium content on electrochemical lithium intercalation into amorphous and crystalline powdered $Li_{1\pm\delta}Mn_2O_4$ electrodes prepared by sol–gel method, 593
Dimethyl carbonate
studies of petroleum coke in carbonate-based electrolyte, 232
analysis of surface films on lithium in various organic electrolytes, 471
Discharge
discharge characteristics of an $Li/LiCoO_2$ cell with poly(acrylonitirile)-based polymer electrolyte, 361
Discharge potential
low-crystallized carbon materials for lithium-ion secondary batteries, 212
Disordered carbons
^7Li NMR and ESR analysis of lithium storage in a high-capacity perylene-based disordered carbon, 283
Disordered carbon structure
study on C_xN and C_xS with disordered carbon structure as the anode materials for secondary lithium batteries, 245
Disposal
safety and reliability considerations for lithium batteries, 75
Disulfides
new type polyamides containing disulfide bonds for positive active material of lithium secondary batteries, 735

Electricity
global energy prospects in the 21st century: a battery-based society, 3
Electric vehicles
global energy prospects in the 21st century: a battery-based society, 3
lithium-ion batteries for electric vehicles: performances of 100 Ah cells, 8
lithium polymer battery development for electric vehicle application, 432
Electrochemical impedance
electrochemical lithium intercalation into vanadium pentoxide xerogel film electrode, 669
Electrochemical impedance spectroscopy
electrochemical characterization of thin-film $LiCoO_2$ electrodes in propylene carbonate solutions, 540

Electrochemical polarization
thermal studies of a lithium-ion battery, 451
Electrochemical properties
structural and electrochemical studies of α-manganese dioxide (α-MnO_2), 570
Electrochemical quartz crystal microbalance technique
effects of the electrolyte composition on the electrochemical lithium-intercalation behavior of graphite-analysis by electrochemical quartz crystal microbalance technique, 253
Electrode kinetics
microelectrode investigation of the lithium redox behavior in plasticized polymer electrolytes, 487
Electrode materials
recent trends in carbon negative electrode materials, 99
Electrodes
structural aspects of lithium insertion in transition metal oxide electrodes, 24
study of the carbon material electrolyte interface, 110
structural stability of $LiMn_2O_4$ electrodes for lithium batteries, 153
great reversible capacity of carbon lithium electrode in solid polymer electrolyte, 236
chemical passivation of lithiated graphitized mesocarbon fibers, 239
graphite electrodes with tailored porosity for rechargeable ion-transfer batteries, 267
effect of polysulfide-containing electrolyte on the film formation of the negative electrode, 328
cycling performance of novel lithium insertion electrode materials based on the Li–Ni–Mn–O system, 629
Electrolytes
study of the carbon material electrolyte interface, 110
studies of petroleum coke in carbonate-based electrolyte, 232
real-time X-ray diffraction measurement of carbon structure during lithium-ion intercalation, 249
degradation mechanism of alkyl carbonate solvents used in lithium-ion cells during initial charging, 311
electrolyte for high voltage $Li/LiMn_{1.9}Co_{0.1}O_4$ cells, 316
helical aggregate formation of cholate salts in poly(*N*-vinyl-2-pyrrolidinone) gel and its effect on conductivity enhancement, 364
performances of lithium/gel electrolyte/polypyrrole secondary batteries, 392
development of 1 kWh (300 Ah) class lithium-ion battery, 448
the use of in situ Fourier-transform infrared spectroscopy for the study of surface phenomena on electrodes in selected lithium battery electrolyte solutions, 463
Electrolytic conductivity
lithium cycling efficiency of ternary solvent electrolytes with ethylene carbonate–dimethyl carbonate mixture, 492
Electron spin resonance
^7Li NMR and ESR analysis of lithium storage in a high-capacity perylene-based disordered carbon, 283
Electrostatic spray deposition
thin film solid electrolytes and electrodes for rechargeable lithium-ion batteries, 65
electrode and solid electrolyte thin films for secondary lithium-ion batteries, 377
Energy density
more details on the new $LiMnO_2$ rechargeable battery technology developed at Tadiran, 443
Energy storage
global energy prospects in the 21st century: a battery-based society, 3
development of 10 Wh class lithium secondary cells in the 'New Sunshine Program', 13
Entropy change
thermal studies of a lithium-ion battery, 451
Equilibrium constant
characterization of organic electrolyte systems by nuclear magnetic resonance and molecular orbital simulation: equilibrium constant and net charge distribution in solvation state, 304
Ethylene carbonate
chemical properties of various organic electrolytes for lithium rechargeable batteries 1. Characterization of passivating layer formed on graphite in alkyl carbonate solutions, 59
study of the carbon material electrolyte interface, 110
comparison of organic and inorganic gelation agents in ethylene carbonate based electrolytes for lithium-ion batteries, 381
analysis of surface films on lithium in various organic electrolytes, 471

Factorial experimental design
the study of carbon half-cell voltage in lithium-ion secondary batteries, 242
Fault tree analysis
safety and reliability considerations for lithium batteries, 75
Film formation
effect of polysulfide-containing electrolyte on the film formation of the negative electrode, 328
First-principle's calculation
ab initio calculation of the intercalation voltage of lithium-transition-metal oxide electrodes for rechargeable batteries, 664
Fluorine
synthesis and electrochemical properties for $LiNiO_2$ substituted by other elements, 553

Gallium
synthesis and properties of gallium-doped $LiNiO_2$ as the cathode material for lithium secondary batteries, 561
Gas generation
degradation mechanism of alkyl carbonate solvents used in lithium-ion cells during initial charging, 311
Gel
helical aggregate formation of cholate salts in poly(*N*-vinyl-2-pyrrolidinone) gel and its effect on conductivity enhancement, 364
Gelation agents
comparison of organic and inorganic gelation agents in ethylene carbonate based electrolytes for lithium-ion batteries, 381
Gelled electrolytes
investigation on lithium/polymer electrolyte interface for high performance lithium rechargeable batteries, 52
properties and potential application of silica-gelled electrolytes for lithium-ion batteries, 387
Graphite
chemical properties of various organic electrolytes for lithium rechargeable batteries 1. Characterization of passivating layer formed on graphite in alkyl carbonate solutions, 59
graphite multilayer thin films: a new anode material for Li-ion microbatteries synthesis and characterization, 204
X-ray photoelectron spectroscopy analyses of lithium intercalation and alloying reactions on graphite electrodes, 208
intercalation of lithium into natural graphite flakes and heat-treated polyimide films in ether-type solvents by chemical method, 216
real-time X-ray diffraction measurement of carbon structure during lithium-ion intercalation, 249
effects of the electrolyte composition on the electrochemical lithium-intercalation behavior of graphite-analysis by electrochemical quartz crystal microbalance technique, 253
graphite electrodes with tailored porosity for rechargeable ion-transfer batteries, 267
Graphite anodes
characterization of modified NG7 graphite as an improved anode for lithium-ion batteries, 277
effect of morphology and texture on electrochemical properties of graphite anodes, 287

Graphite negative electrodes
electrochemical scanning tunneling microscopy analysis of the surface reactions on graphite basal plane in ethylene carbonate-based solvents and propylene carbonate, 221
Graphite particle orientation
effect of morphology and texture on electrochemical properties of graphite anodes, 287
Graphite structure
graphite structure and lithium intercalation, 291

Heat treatment
lithium intercalation in heat-treated petroleum cokes, 106
High coulombic efficiency
$LiNi_{1-x}Co_xO_2$ prepared at low temperature using β-$Ni_{1-x}Co_x OOH$ and either $LiNO_3$ or LiOH, 126
Highly oriented pyrolytic graphite
a.c. impedance analysis of electrochemical lithium intercalation into highly oriented pyrolytic graphite, 227
High voltage cathode
cathode performance and voltage estimation of metal trihalides, 716
Hysteresis
hysteresis observed in quasi open-circuit voltage measurements of lithium insertion in hydrogen-containing carbons, 201

Imide
on the characteristics of electrolytes with new lithium imide salts, 307
Impedance spectroscopy
a.c. impedance analysis of electrochemical lithium intercalation into highly oriented pyrolytic graphite, 227
Inorganic electrolytes
a lithium-ion cell with an inorganic electrolyte, 402
Inorganic fillers
effects of ceramic fillers on the electrical properties of $(PEO)_{16}LiClO_4$ electrolytes, 357
Inorganic solid electrolytes
ionic conductivity enhancement in $LiGe_2(PO_4)_3$ solid electrolyte, 397
Insertion
anode performance of a new layered nitride $Li_{3-x}Co_xN$ ($x = 0.2$–0.6), 515
Insertion electrodes
synthesis and electrochemical properties of lithium iron oxides with layer-related structures, 145
synthesis and electrochemical properties for $LiNiO_2$ substituted by other elements, 553
Insertion materials
innovative insertion material of $LiAl_{1/4}Ni_{3/4}O_2$ ($R\bar{3}m$) for lithium-ion (shuttlecock) batteries, 131
novel 2 V rocking-chair lithium battery based on nano-crystalline titanium dioxide, 720
Intercalation
recent studies on the correlation between surface chemistry, morphology, three-dimensional structures and performance of Li and Li–C intercalation anodes in several important electrolyte systems, 91
on the behavior of the Li_xNiO_2 system: an electrochemical and structural overview, 120
intercalation of lithium into natural graphite flakes and heat-treated polyimide films in ether-type solvents by chemical method, 216
graphite electrodes with tailored porosity for rechargeable ion-transfer batteries, 267
high capacity carbon anode materials: structure, hydrogen effect, and stability, 296
electrochemical intercalation of lithium into carbons using a solid polymer electrolyte, 368
new lithium-ion conducting compounds $3Li_3N$–MI (M = Li, Na, K, Rb) and their application to solid-state lithium-ion cells, 416
cycling performance of novel lithium insertion electrode materials based on the Li–Ni–Mn–O system, 629
lithium intercalation into the copper, nickel or manganese vanadates $Me(VO_3)_2 \cdot yH_2O$, 652
study of lithium insertion into $Me^{II}V_2O_{5+x/2}$, Me = copper, iron or chromium, 656
Intercalation electrodes
novel layered chalcogenides as electrode materials for lithium-ion batteries, 704
Inverse spinels
new inverse spinel cathode materials for rechargeable lithium batteries, 159
Ionic conductivity
solid polymer electrolytes for lithium cells, 37
ionic conductivity enhancement in $LiTi_2(PO_4)_3$-based composite electrolyte by the addition of lithium nitrate, 407
formation of perovskite solid solutions and lithium-ion conductivity in the compositions, $Li_{2x}Sr_{1-2x}M^{III}_{0.5-x}Ta_{0.5+x}O_3$ (M = Cr, Fe, Co, Al, Ga, In, Y), 421
Ionic conductivity enhancement
ionic conductivity enhancement in $LiGe_2(PO_4)_3$ solid electrolyte, 397
Ionic conductors
formation of perovskite solid solutions and lithium-ion conductivity in the compositions, $Li_{2x}Sr_{1-2x}M^{III}_{0.5-x}Ta_{0.5+x}O_3$ (M = Cr, Fe, Co, Al, Ga, In, Y), 421
Ionomers
comparative ion transport in several polymer electrolytes, 372
Iridium oxide
structure and charge/discharge characteristics of new layered oxides: $Li_xRu_{0.6}Fe_{0.6}O_3$ and Li_2IrO_3, 686
Iron
preparation and electrochemical investigation of $LiMn_{2-x}Me_xO_4$ (Me: Ni, Fe, and $x = 0.5$, 1) cathode materials for secondary lithium batteries, 604
Iron oxides
synthesis and electrochemical properties of lithium iron oxides with layer-related structures, 145
Iron trifluoride
cathode performance and voltage estimation of metal trihalides, 716
Irreversible capacity loss
irreversible capacity loss of graphite electrode in lithium-ion batteries, 187

Jahn–Teller distortion
X-ray absorption fine structure and neutron diffraction analyses of de-intercalation behavior in the $LiCoO_2$ and $LiNiO_2$ systems, 536
characterization of $Li_{1-\delta}Mn_{2-2\delta}O_4$ defect spinel materials by their phase transition, magnetic and electrochemical properties, 623

Kinetics
kinetic analysis of capacity fade in lithium/coke half-cells, 191
Kinetic study
application of the microelectrode technique to the kinetic study of lithium deposition/dissolution and alloying in organic solutions, 483

Lanthanum
all oxide solid-state lithium-ion cells, 412
Layered chalcogenides
novel layered chalcogenides as electrode materials for lithium-ion batteries, 704
Layered oxides
structure and charge/discharge characteristics of new layered oxides: $Li_xRu_{0.6}Fe_{0.6}O_3$ and Li_2IrO_3, 686
Layered structure
synthesis and electrochemical properties of lithium iron oxides with layer-related structures, 145

investigation of electrochemical lithium insertion in lamellar ternary oxides of the $M_xMnO_y \cdot zH_2O$ group, 586
Lead tantalum sulfide
novel layered chalcogenides as electrode materials for lithium-ion batteries, 704
Lead titanium sulfide
novel layered chalcogenides as electrode materials for lithium-ion batteries, 704
Lithium
development of 10 Wh class lithium secondary cells in the 'New Sunshine Program', 13
passivity of lithium in organic solvents, 69
recent studies on the correlation between surface chemistry, morphology, three-dimensional structures and performance of Li and Li–C intercalation anodes in several important electrolyte systems, 91
on the behavior of the Li_xNiO_2 system: an electrochemical and structural overview, 120
$LiNi_{1-x}Co_xO_2$ prepared at low temperature using β-$Ni_{1-x}Co_x$ OOH and either $LiNO_3$ or LiOH, 126
lithium manganese oxides for rechargeable lithium batteries, 166
intercalation of lithium into natural graphite flakes and heat-treated polyimide films in ether-type solvents by chemical method, 216
great reversible capacity of carbon lithium electrode in solid polymer electrolyte, 236
chemical passivation of lithiated graphitized mesocarbon fibers, 239
graphite electrodes with tailored porosity for rechargeable ion-transfer batteries, 267
degradation mechanism of alkyl carbonate solvents used in lithium-ion cells during initial charging, 311
effect of polysulfide-containing electrolyte on the film formation of the negative electrode, 328
electrochemical intercalation of lithium into carbons using a solid polymer electrolyte, 368
new lithium-ion conducting compounds $3Li_3N$–MI (M = Li, Na, K, Rb) and their application to solid-state lithium-ion cells, 416
safety characteristics of rechargeable lithium metal cells, 455
electrochemical and quartz microbalance technique studies of anode material for secondary lithium batteries, 480
microwave synthesis of $LiCoO_2$ cathode materials, 530
the effects of the stoichiometry and synthesis temperature on the preparation of the inverse spinel $LiNiVO_4$ and its performance as a new high voltage cathode material, 549
synthesis and properties of gallium-doped $LiNiO_2$ as the cathode material for lithium secondary batteries, 561
$LiMn_{2-x}Co_xO_4$ cathode with enhanced cycleability, 578
electrochemistry of $LiMnO_2$ over an extended potential range, 618
cycling performance of novel lithium insertion electrode materials based on the Li–Ni–Mn–O system, 629
a ^{7}Li nuclear magnetic resonance study on spinel $LiMn_2O_{4-\delta}$, 637
lithium intercalation into the copper, nickel or manganese vanadates $Me(VO_3)_2 \cdot yH_2O$, 652
study of lithium insertion into $Me^xV_2O_{5+x/2}$, Me = copper, iron or chromium, 656
synthesis and characterization of a new trimetallic cathode material for lithium batteries, 730
Lithium-alloy anode
will advanced lithium-alloy anodes have a chance in lithium-ion batteries?, 87
Lithium anodes
electrolyte for high voltage $Li/LiMn_{1.9}Co_{0.1}O_4$ cells, 316
effect of carbon dioxide on lithium anode cycleability with various substrates, 497
Lithium batteries
global energy prospects in the 21st century: a battery-based society, 3
lithium-ion batteries for electric vehicles: performances of 100 Ah cells, 8
investigation on lithium/polymer electrolyte interface for high performance lithium rechargeable batteries, 52
safety and reliability considerations for lithium batteries, 75
synthesis and electrochemical properties of lithium iron oxides with layer-related structures, 145
structural stability of $LiMn_2O_4$ electrodes for lithium batteries, 153
new inverse spinel cathode materials for rechargeable lithium batteries, 159
kinetic analysis of capacity fade in lithium/coke half-cells, 191
X-ray photoelectron spectroscopy analyses of lithium intercalation and alloying reactions on graphite electrodes, 208
study on C_xN and C_xS with disordered carbon structure as the anode materials for secondary lithium batteries, 245
ionic conductivity enhancement in $LiTi_2(PO_4)_3$-based composite electrolyte by the addition of lithium nitrate, 407
lithium polymer battery development for electric vehicle application, 432
lithium batteries: application of neutron radiography, 459
the use of in situ Fourier-transform infrared spectroscopy for the study of surface phenomena on electrodes in selected lithium battery electrolyte solutions, 463
electrochemical characterization of thin-film $LiCoO_2$ electrodes in propylene carbonate solutions, 540
structural and electrochemical studies of α-manganese dioxide (α-MnO_2), 570
preparation and electrochemical investigation of $LiMn_{2-x}Me_xO_4$ (Me: Ni, Fe, and $x = 0.5, 1$) cathode materials for secondary lithium batteries, 604
novel synthesis process and structure refinements of $Li_4Mn_5O_{12}$ for rechargeable lithium batteries, 613
electrochemistry of $LiMnO_2$ over an extended potential range, 618
cycling performance of novel lithium insertion electrode materials based on the Li–Ni–Mn–O system, 629
ab initio calculation of the intercalation voltage of lithium-transition-metal oxide electrodes for rechargeable batteries, 664
new amorphous oxides as high capacity negative electrodes for lithium batteries: the Li_xMVO_4 (M = Ni, Co, Cd, Zn; $1 < x \leq 8$) series, 692
the amorphous oxides $MnV_2O_{6+\delta}$ ($0 < \delta < 1$) as high capacity negative electrode materials for lithium batteries, 698
low-temperature carbon fluoride for high power density lithium primary batteries, 708
cathode performance and voltage estimation of metal trihalides, 716
novel 2 V rocking-chair lithium battery based on nano-crystalline titanium dioxide, 720
rocking-chair batteries based on $LiMn_2O_4$ and V_6O_{13}, 726
synthesis and characterization of a new trimetallic cathode material for lithium batteries, 730
Lithium boron phosphate
electrode and solid electrolyte thin films for secondary lithium-ion batteries, 377
Lithium–carbon
effect of polysulfide-containing electrolyte on the film formation of the negative electrode, 328
Lithium/carbon cell
irreversible capacity loss of graphite electrode in lithium-ion batteries, 187
Lithium cells
solid polymer electrolytes for lithium cells, 37
electrolyte for high voltage $Li/LiMn_{1.9}Co_{0.1}O_4$ cells, 316
Lithium cobalt oxides
microvoltammetric studies on single particles of battery active materials, 139
thermal studies of a lithium-ion battery, 451
high-resolution images of ultrafine $LiCoO_2$ powders synthesized by a sol–gel process, 519

electrochemical lithium intercalation into and de-intercalation from porous $LiCoO_2$ electrode by using potentiostatic current transient technique, 524
X-ray absorption fine structure and neutron diffraction analyses of de-intercalation behavior in the $LiCoO_2$ and $LiNiO_2$ systems, 536
Lithium compounds
chemical properties of various organic electrolytes for lithium rechargeable batteries 1. Characterization of passivating layer formed on graphite in alkyl carbonate solutions, 59
Lithium cycling efficiency
lithium cycling efficiency of ternary solvent electrolytes with ethylene carbonate–dimethyl carbonate mixture, 492
Lithium de-intercalation
structure and charge/discharge characteristics of new layered oxides: $Li_{1.8}Ru_{0.6}Fe_{0.6}O_3$ and Li_2IrO_3, 686
Lithium dendrites
future prospects of the lithium metal anode, 82
Lithium deposition/dissolution
application of the microelectrode technique to the kinetic study of lithium deposition/dissolution and alloying in organic solutions, 483
Lithium diffusion coefficient
low-crystallized carbon materials for lithium-ion secondary batteries, 212
Lithium distribution
lithium batteries: application of neutron radiography, 459
Lithium electrodes
analysis of surface films on lithium in various organic electrolytes, 471
Lithium electrolyte
performances of Li/Li_xCoO_2 cells in $LiAlCl_4 \cdot 3SO_2$ electrolyte, 338
Lithium germanium phosphate
ionic conductivity enhancement in $LiGe_2(PO_4)_3$ solid electrolyte, 397
Lithium hexafluorophosphate
application of thermogravimetric studies for optimization of lithium hexafluorophosphate production, 326
Lithium insertion
structural aspects of lithium insertion in transition metal oxide electrodes, 24
hysteresis observed in quasi open-circuit voltage measurements of lithium insertion in hydrogen-containing carbons, 201
^7Li NMR and ESR analysis of lithium storage in a high-capacity perylene-based disordered carbon, 283
in situ Raman spectroscopic study of Li_xCoO_2 electrodes in propylene carbonate solvent systems, 333
investigation of electrochemical lithium insertion in lamellar ternary oxides of the $M_xMnO_y \cdot zH_2O$ group, 586
Lithium insertion limit
lithium insertion behaviour of manganese or molybdenum substituted $Li_{1+x}V_3O_8$, 680
Lithium intercalation
lithium intercalation in heat-treated petroleum cokes, 106
a.c. impedance analysis of electrochemical lithium intercalation into highly oriented pyrolytic graphite, 227
effects of the electrolyte composition on the electrochemical lithium-intercalation behavior of graphite-analysis by electrochemical quartz crystal microbalance technique, 253
graphite structure and lithium intercalation, 291
in situ Raman spectroscopic study of Li_xCoO_2 electrodes in propylene carbonate solvent systems, 333
preparation and electrochemical characteristics of quaternary Li–Mn–V–O spinel as the positive materials for rechargeable lithium batteries, 600
electrochemical lithium intercalation into vanadium pentoxide xerogel film electrode, 669
Lithium interface
investigation on lithium/polymer electrolyte interface for high performance lithium rechargeable batteries, 52
Lithium ion
lithium-ion batteries for electric vehicles: performances of 100 Ah cells, 8
Lithium-ion batteries
new and optimised lithium manganese oxide cathodes for rechargeable lithium batteries, 19
thin film solid electrolytes and electrodes for rechargeable lithium-ion batteries, 65
will advanced lithium-alloy anodes have a chance in lithium-ion batteries?, 87
high-capacity lithium-ion cells using graphitized mesophase-pitch-based carbon fiber anodes, 102
innovative insertion material of $LiAl_{1/4}Ni_{3/4}O_2$ ($R\bar{3}m$) for lithium-ion (shuttlecock) batteries, 131
irreversible capacity loss of graphite electrode in lithium-ion batteries, 187
pyrolysed silicon-containing polymers as high capacity anodes for lithium-ion batteries, 195
graphite multilayer thin films: a new anode material for Li-ion microbatteries synthesis and characterization, 204
low-crystallized carbon materials for lithium-ion secondary batteries, 212
the study of carbon half-cell voltage in lithium-ion secondary batteries, 242
nanostructure criteria for lithium intercalation in non-doped and phosphorus-doped hard carbons, 258
anode characteristics of non-graphitizable carbon fibers for rechargeable lithium-ion batteries, 263
characterization of modified NG7 graphite as an improved anode for lithium-ion batteries, 277
effect of morphology and texture on electrochemical properties of graphite anodes, 287
degradation mechanism of alkyl carbonate solvents used in lithium-ion cells during initial charging, 311
electrochemical and X-ray photospectroscopy studies of polytetra-fluoroethylene and polyvinylidene fluoride in Li/C batteries, 344
performance characteristics of lithium-ion cells using in situ polymerized electrolytes, 352
comparison of organic and inorganic gelation agents in ethylene carbonate based electrolytes for lithium-ion batteries, 381
properties and potential application of silica-gelled electrolytes for lithium-ion batteries, 387
a lithium-ion cell with an inorganic electrolyte, 402
performance study of the $LiCoO_2$/graphite system, 440
development of 1 kWh (300 Ah) class lithium-ion battery, 448
thermal studies of a lithium-ion battery, 451
influence of the $LiCoO_2$ particle size on the performance of lithium-ion batteries, 533
studies of $LiNiO_2$ in lithium-ion batteries, 558
influence of morphology on the stability of $LiNiO_2$, 565
the influence of doping on the operation of lithium manganese oxide spinel, 582
electrochemical impedance spectroscopy studies of lithium diffusion in doped manganese oxide, 634
comparative study of $Li[Li_xMn_{2-x}]O_4$ and LT-$LiMnO_2$ for lithium-ion batteries, 646
novel layered chalcogenides as electrode materials for lithium-ion batteries, 704
spectroscopic identification of 2,5-dimercapto-1,3,4-thiadiazole and its lithium salt and dimer forms, 739
Lithium-ion cells
corrosion of aluminum at high voltages in non-aqueous electrolytes containing perfluoroalkylsulfonyl imides; new lithium salts for lithium-ion cells, 320
all oxide solid-state lithium-ion cells, 412
new lithium-ion conducting compounds $3Li_3N$–MI (M = Li, Na, K, Rb) and their application to solid-state lithium-ion cells, 416

anode performance of a new layered nitride $Li_{3-x}Co_xN$ ($x = 0.2$–0.6), 515
δ-LiV_2O_5 as a positive electrode material for lithium-ion cells, 723
Lithium-ion conductivity
formation of perovskite solid solutions and lithium-ion conductivity in the compositions, $Li_{2x}Sr_{1-2x}M^{III}_{0.5-x}Ta_{0.5+x}O_3$ (M = Cr, Fe, Co, Al, Ga, In, Y), 421
Lithium-ion extraction/insertion
electrochemical characterization of thin-film $LiCoO_2$ electrodes in propylene carbonate solutions, 540
Lithium-ion intercalation
real-time X-ray diffraction measurement of carbon structure during lithium-ion intercalation, 249
effect of the lithium content on electrochemical lithium intercalation into amorphous and crystalline powdered $Li_{1\pm\delta}Mn_2O_4$ electrodes prepared by sol–gel method, 593
Lithium-ion rechargeable batteries
performances of Li/Li_xCoO_2 cells in $LiAlCl_4 \cdot 3SO_2$ electrolyte, 338
Lithium iron oxides
low temperature synthesis and electrochemical characteristics of $LiFeO_2$ cathodes, 711
Lithium manganese oxides
electrode and solid electrolyte thin films for secondary lithium-ion batteries, 377
quality control of $Li_{1+\delta}Mn_{2-\delta}O_4$ spinels with their impurity phases by Jaeger and Vetter titration, 590
X-ray absorption fine structure study on Li–Mn–O compounds: $LiMn_2O_4$, $Li_4Mn_5O_{12}$ and Li_2MnO_3, 609
novel synthesis process and structure refinements of $Li_4Mn_5O_{12}$ for rechargeable lithium batteries, 613
nonstoichiometry and defect structure of spinel $LiMn_2O_{4-\delta}$, 641
Lithium manganese oxide electrodes
effect of the lithium content on electrochemical lithium intercalation into amorphous and crystalline powdered $Li_{1\pm\delta}Mn_2O_4$ electrodes prepared by sol–gel method, 593
Lithium manganese oxide spinel
characterization of $Li_{1-\delta}Mn_{2-2\delta}O_4$ defect spinel materials by their phase transition, magnetic and electrochemical properties, 623
Lithium metal
development of 10 Wh class lithium secondary cells in the 'New Sunshine Program', 13
Lithium metal anodes
future prospects of the lithium metal anode, 82
in situ scanning vibrating electrode technique for lithium metal anodes, 501
Lithium–metal oxides
ab initio calculation of the intercalation voltage of lithium-transition-metal oxide electrodes for rechargeable batteries, 664
Lithium metal sheet
improvement in lithium cycling efficiency by using additives in lithium metal, 476
Lithium nickelate
lithium-ion batteries for electric vehicles: performances of 100 Ah cells, 8
synthesis and electrochemical properties for $LiNiO_2$ substituted by other elements, 553
Lithium nickel dioxide
influence of morphology on the stability of $LiNiO_2$, 565
Lithium nickel oxide
X-ray absorption fine structure and neutron diffraction analyses of de-intercalation behavior in the $LiCoO_2$ and $LiNiO_2$ systems, 536
Lithium polymer batteries
characterization of TiS_2 composite cathodes with solid polymer electrolyte, 660
Lithium rechargeable batteries
lithium manganese oxides for rechargeable lithium batteries, 166
discharge characteristics of an $Li/LiCoO_2$ cell with poly(acrylonitirile)-based polymer electrolyte, 361
more details on the new $LiMnO_2$ rechargeable battery technology developed at Tadiran, 443
Lithium redox behavior
microelectrode investigation of the lithium redox behavior in plasticized polymer electrolytes, 487
Lithium salts
electrolyte solutions for anodes in rechargeable lithium batteries, 30
polymer and salt selection for lithium polymer batteries, 43
comparative ion transport in several polymer electrolytes, 372
Lithium secondary batteries
the 200 V 2 kWh energy storage multicell system with 25 Wh Li/LiV_3O_8 single cells, 78
a key technology to improve the cyclic performances of carbonaceous materials for lithium secondary battery anodes, 114
microvoltammetric studies on single particles of battery active materials, 139
in situ Raman spectroscopic study of Li_xCoO_2 electrodes in propylene carbonate solvent systems, 333
performances of lithium/gel electrolyte/polypyrrole secondary batteries, 392
lithium cycling efficiency of ternary solvent electrolytes with ethylene carbonate–dimethyl carbonate mixture, 492
electrochemical studies of a new anode material, $Li_{3-x}M_xN$ (M = Co, Ni, Cu), 510
synthesis and electrochemical properties for $LiNiO_2$ substituted by other elements, 553
synthesis and properties of gallium-doped $LiNiO_2$ as the cathode material for lithium secondary batteries, 561
low temperature synthesis and electrochemical characteristics of $LiFeO_2$ cathodes, 711
Lithium secondary cells
development of 10 Wh class lithium secondary cells in the 'New Sunshine Program', 13
anodic behavior of a carbon plate in an LiCl–KCl binary molten salt, 348
series-connected multi-cell operation of lithium-ion cells by floating method, 427
Lithium–tin-alloys
will advanced lithium-alloy anodes have a chance in lithium-ion batteries?, 87
Lithium transition metal nitride
electrochemical studies of a new anode material, $Li_{3-x}M_xN$ (M = Co, Ni, Cu), 510
Lithium transport
electrochemical lithium intercalation into and de-intercalation from porous $LiCoO_2$ electrode by using potentiostatic current transient technique, 524
Lithium vanadate oxides
lithium insertion behaviour of manganese or molybdenum substituted $Li_{1+x}V_3O_8$, 680
Low temperature preparation
$LiNi_{1-x}Co_xO_2$ prepared at low temperature using β-$Ni_{1-x}Co_xOOH$ and either $LiNO_3$ or LiOH, 126
Low temperature synthesis
low temperature synthesis and electrochemical characteristics of $LiFeO_2$ cathodes, 711

Magnetic properties
characterization of $Li_{1-\delta}Mn_{2-2\delta}O_4$ defect spinel materials by their phase transition, magnetic and electrochemical properties, 623
Manganese
synthesis and electrochemical characteristics of $Li(Ni \cdot M)O_2$ (M = Co, Mn) cathode for rechargeable lithium batteries, 545
$LiMn_{2-x}Co_xO_4$ cathode with enhanced cycleability, 578

preparation and electrochemical investigation of $LiMn_{2-x}Me_xO_4$ (Me: Ni, Fe, and $x = 0.5, 1$) cathode materials for secondary lithium batteries, 604
a ^7Li nuclear magnetic resonance study on spinel $LiMn_2O_{4-\delta}$, 637
lithium insertion behaviour of manganese or molybdenum substituted $Li_{1+x}V_3O_8$, 680
Manganese dioxide
structural and electrochemical studies of α-manganese dioxide (α-MnO_2), 570
electrochemistry of $LiMnO_2$ over an extended potential range, 618
Manganese oxides
development of 10 Wh class lithium secondary cells in the 'New Sunshine Program', 13
new and optimised lithium manganese oxide cathodes for rechargeable lithium batteries, 19
structural stability of $LiMn_2O_4$ electrodes for lithium batteries, 153
the influence of doping on the operation of lithium manganese oxide spinel, 582
lithium manganese oxides for rechargeable lithium batteries, 166
investigation of electrochemical lithium insertion in lamellar ternary oxides of the $M_xMnO_y \cdot zH_2O$ group, 586
preparation and electrochemical characteristics of quaternary Li–Mn–V–O spinel as the positive materials for rechargeable lithium batteries, 600
electrochemical impedance spectroscopy studies of lithium diffusion in doped manganese oxide, 634
comparative study of $Li[Li_xMn_{2-x}]O_4$ and LT-$LiMnO_2$ for lithium-ion batteries, 646
the amorphous oxides $MnV_2O_{6+\delta}$ ($0 < \delta < 1$) as high capacity negative electrode materials for lithium batteries, 698
Manganese valency
characterization of $Li_{1-\delta}Mn_{2-2\delta}O_4$ defect spinel materials by their phase transition, magnetic and electrochemical properties, 623
Mechanical characteristics
solid polymer electrolytes for lithium cells, 37
Metal–carbon composite anodes
design and performance of 10 Wh rechargeable lithium batteries, 436
Metal foils
electrochemical characterization of various metal foils as a current collector of positive electrode for rechargeable lithium batteries, 301
Metal oxides
lithium intercalation into the copper, nickel or manganese vanadates $Me(VO_3)_2 \cdot yH_2O$, 652
study of lithium insertion into $Me^nV_2O_{5+n/2}$, Me = copper, iron or chromium, 656
Metal trihalides
cathode performance and voltage estimation of metal trihalides, 716
Microelectrodes
microvoltammetric studies on single particles of battery active materials, 139
Microvoltammetry
microvoltammetric studies on single particles of battery active materials, 139
Microwave synthesis
microwave synthesis of $LiCoO_2$ cathode materials, 530
Misfit layer compounds
novel layered chalcogenides as electrode materials for lithium-ion batteries, 704
Molecular orbital simulation
characterization of organic electrolyte systems by nuclear magnetic resonance and molecular orbital simulation: equilibrium constant and net charge distribution in solvation state, 304
Molten salt
anodic behavior of a carbon plate in an LiCl–KCl binary molten salt, 348
Molybdenum
lithium insertion behaviour of manganese or molybdenum substituted $Li_{1+x}V_3O_8$, 680
Morphology
influence of morphology on the stability of $LiNiO_2$, 565
Multi-cells
series-connected multi-cell operation of lithium-ion cells by floating method, 427
Multicell systems
the 200 V 2 kWh energy storage multicell system with 25 Wh Li/LiV_3O_8 single cells, 78
Multiphase alloys
will advanced lithium-alloy anodes have a chance in lithium-ion batteries?, 87

NASICON
ionic conductivity enhancement in $LiTi_2(PO_4)_3$-based composite electrolyte by the addition of lithium nitrate, 407
Negative electrodes
recent trends in carbon negative electrode materials, 99
chemical passivation of lithiated graphitized mesocarbon fibers, 239
new amorphous oxides as high capacity negative electrodes for lithium batteries: the Li_xMVO_4 (M = Ni, Co, Cd, Zn; $1 < x \leq 8$) series, 692
the amorphous oxides $MnV_2O_{6+\delta}$ ($0 < \delta < 1$) as high capacity negative electrode materials for lithium batteries, 698
Net charge
characterization of organic electrolyte systems by nuclear magnetic resonance and molecular orbital simulation: equilibrium constant and net charge distribution in solvation state, 304
Neutron diffraction
high capacity carbon anode materials: structure, hydrogen effect, and stability, 296
X-ray absorption fine structure and neutron diffraction analyses of de-intercalation behavior in the $LiCoO_2$ and $LiNiO_2$ systems, 536
Neutron radiography
lithium batteries: application of neutron radiography, 459
Nickel
new inverse spinel cathode materials for rechargeable lithium batteries, 159
anode performance of a new layered nitride $Li_{3-x}Co_xN$ ($x = 0.2$–0.6), 515
synthesis and electrochemical characteristics of $Li(Ni \cdot M)O_2$ (M = Co, Mn) cathode for rechargeable lithium batteries, 545
the effects of the stoichiometry and synthesis temperature on the preparation of the inverse spinel $LiNiVO_4$ and its performance as a new high voltage cathode material, 549
studies of $LiNiO_2$ in lithium-ion batteries, 558
preparation and electrochemical investigation of $LiMn_{2-x}Me_xO_4$ (Me: Ni, Fe, and $x = 0.5, 1$) cathode materials for secondary lithium batteries, 604
Nickel manganese oxides
cycling performance of novel lithium insertion electrode materials based on the Li–Ni–Mn–O system, 629
Nickel nitride
electrochemical studies of a new anode material, $Li_{3-x}M_xN$ (M = Co, Ni, Cu), 510
Nickel oxides
development of 10 Wh class lithium secondary cells in the 'New Sunshine Program', 13
on the behavior of the Li_xNiO_2 system: an electrochemical and structural overview, 120
synthesis and properties of gallium-doped $LiNiO_2$ as the cathode material for lithium secondary batteries, 561
Nitride
anode performance of a new layered nitride $Li_{3-x}Co_xN$ ($x = 0.2$–0.6), 515

Nitrogen
LiNi$_{1-x}$Co$_x$O$_2$ prepared at low temperature using β-Ni$_{1-x}$Co$_x$OOH and either LiNO$_3$ or LiOH, 126
Non-destructive detection
lithium batteries: application of neutron radiography, 459
Non-graphitizable carbon
anode characteristics of non-graphitizable carbon fibers for rechargeable lithium-ion batteries, 263
Nuclear magnetic resonance
^{7}Li NMR and ESR analysis of lithium storage in a high-capacity perylene-based disordered carbon, 283
characterization of organic electrolyte systems by nuclear magnetic resonance and molecular orbital simulation: equilibrium constant and net charge distribution in solvation state, 304
Nuclear magnetic resonance study
a ^{7}Li nuclear magnetic resonance study on spinel LiMn$_2$O$_{4-\delta}$, 637

Optical skin depth
in situ Raman spectroscopic study of Li$_x$CoO$_2$ electrodes in propylene carbonate solvent systems, 333
Orbital energy
on the characteristics of electrolytes with new lithium imide salts, 307
Organic electrolytes
electrolyte solutions for anodes in rechargeable lithium batteries, 30
chemical properties of various organic electrolytes for lithium rechargeable batteries 1. Characterization of passivating layer formed on graphite in alkyl carbonate solutions, 59
effects of the electrolyte composition on the electrochemical lithium-intercalation behavior of graphite-analysis by electrochemical quartz crystal microbalance technique, 253
characterization of organic electrolyte systems by nuclear magnetic resonance and molecular orbital simulation: equilibrium constant and net charge distribution in solvation state, 304
lithium cycling efficiency of ternary solvent electrolytes with ethylene carbonate–dimethyl carbonate mixture, 492
Organic lithium salts
on the characteristics of electrolytes with new lithium imide salts, 307
Organic solvents
passivity of lithium in organic solvents, 69
comparison of organic and inorganic gelation agents in ethylene carbonate based electrolytes for lithium-ion batteries, 381
performances of lithium/gel electrolyte/polypyrrole secondary batteries, 392
application of the microelectrode technique to the kinetic study of lithium deposition/dissolution and alloying in organic solutions, 483
Organosulfur compounds
organosulfur polymer batteries with high energy density, 135
spectroscopic identification of 2,5-dimercapto-1,3,4-thiadiazole and its lithium salt and dimer forms, 739
Overcharge
performance characteristics of lithium-ion cells using in situ polymerized electrolytes, 352
series-connected multi-cell operation of lithium-ion cells by floating method, 427
Overdischarge
series-connected multi-cell operation of lithium-ion cells by floating method, 427
Oxidation
characterization of modified NG7 graphite as an improved anode for lithium-ion batteries, 277
Oxidation potential
on the characteristics of electrolytes with new lithium imide salts, 307
Oxygen deficiency
a ^{7}Li nuclear magnetic resonance study on spinel LiMn$_2$O$_{4-\delta}$, 637
Oxygen nonstoichiometry
nonstoichiometry and defect structure of spinel LiMn$_2$O$_{4-\delta}$, 641

Ozone oxidation method
observation of structure change due to discharge/charge process of V_2O_5 prepared by ozone oxidation method, using in situ X-ray diffraction technique, 674

Particle size distribution
influence of the LiCoO$_2$ particle size on the performance of lithium-ion batteries, 533
Passivating films
chemical properties of various organic electrolytes for lithium rechargeable batteries 1. Characterization of passivating layer formed on graphite in alkyl carbonate solutions, 59
Passivation
study of the carbon material electrolyte interface, 110
chemical passivation of lithiated graphitized mesocarbon fibers, 239
Passivation layer
characterization of TiS_2 composite cathodes with solid polymer electrolyte, 660
Passivity
passivity of lithium in organic solvents, 69
P-doping
nanostructure criteria for lithium intercalation in non-doped and phosphorus-doped hard carbons, 258
Performance
performances of lithium/gel electrolyte/polypyrrole secondary batteries, 392
Perovskite
formation of perovskite solid solutions and lithium-ion conductivity in the compositions, Li$_{2x}$Sr$_{1-2x}$M$^{III}_{0.5-x}$Ta$_{0.5+x}$O$_3$ (M = Cr, Fe, Co, Al, Ga, In, Y), 421
Petroleum coke
lithium intercalation in heat-treated petroleum cokes, 106
studies of petroleum coke in carbonate-based electrolyte, 232
Phase-boundary movement
electrochemical lithium intercalation into and de-intercalation from porous LiCoO$_2$ electrode by using potentiostatic current transient technique, 524
Plasticized polymer electrolytes
microelectrode investigation of the lithium redox behavior in plasticized polymer electrolytes, 487
Polyamides
new type polyamides containing disulfide bonds for positive active material of lithium secondary batteries, 735
Poly(ethylene oxide)
study of the carbon material electrolyte interface, 110
effects of ceramic fillers on the electrical properties of (PEO)$_{16}$LiClO$_4$ electrolytes, 357
Polymer batteries
organosulfur polymer batteries with high energy density, 135
Polymer composite electrolytes
effects of ceramic fillers on the electrical properties of (PEO)$_{16}$LiClO$_4$ electrolytes, 357
Polymer electrolytes
polymer and salt selection for lithium polymer batteries, 43
investigation on lithium/polymer electrolyte interface for high performance lithium rechargeable batteries, 52
great reversible capacity of carbon lithium electrode in solid polymer electrolyte, 236
discharge characteristics of an Li/LiCoO$_2$ cell with poly(acrylonitirile)-based polymer electrolyte, 361
comparative ion transport in several polymer electrolytes, 372
Poly(oxyethylene) network
comparative ion transport in several polymer electrolytes, 372
Polysulfide
effect of polysulfide-containing electrolyte on the film formation of the negative electrode, 328

Polytetrafluoroethylene
electrochemical and X-ray photospectroscopy studies of polytetrafluoroethylene and polyvinylidene fluoride in Li/C batteries, 344
Polyvinylidene fluoride
electrochemical and X-ray photospectroscopy studies of polytetrafluoroethylene and polyvinylidene fluoride in Li/C batteries, 344
Porosity
graphite electrodes with tailored porosity for rechargeable ion-transfer batteries, 267
cycling performance of novel lithium insertion electrode materials based on the Li–Ni–Mn–O system, 629
Porous electrodes
electrochemical lithium intercalation into and de-intercalation from porous $LiCoO_2$ electrode by using potentiostatic current transient technique, 524
Positive active materials
new type polyamides containing disulfide bonds for positive active material of lithium secondary batteries, 735
Positive electrode material
δ-LiV_2O_5 as a positive electrode material for lithium-ion cells, 723
Positive electrodes
lithium-ion batteries for electric vehicles: performances of 100 Ah cells, 8
electrochemical characterization of various metal foils as a current collector of positive electrode for rechargeable lithium batteries, 301
Positive materials
preparation and electrochemical characteristics of quaternary Li–Mn–V–O spinel as the positive materials for rechargeable lithium batteries, 600
Propylene carbonate
studies of petroleum coke in carbonate-based electrolyte, 232
Pseudopotential
ab initio calculation of the intercalation voltage of lithium-transition-metal oxide electrodes for rechargeable batteries, 664

Quality control
quality control of $Li_{1+\delta}Mn_{2-\delta}O_4$ spinels with their impurity phases by Jaeger and Vetter titration, 590
Quartz crystal microbalance studies
electrochemical and quartz microbalance technique studies of anode material for secondary lithium batteries, 480

Raman spectroscopy
in situ Raman spectroscopic study of Li_xCoO_2 electrodes in propylene carbonate solvent systems, 333
Rate capability
low-temperature carbon fluoride for high power density lithium primary batteries, 708
Reaction rate constant
application of thermogravimetric studies for optimization of lithium hexafluorophosphate production, 326
Rechargeability
comparative study of $Li[Li_xMn_{2-x}]O_4$ and LT-$LiMnO_2$ for lithium-ion batteries, 646
Rechargeable batteries
high-capacity lithium-ion cells using graphitized mesophase-pitch-based carbon fiber anodes, 102
performance characteristics of lithium-ion cells using in situ polymerized electrolytes, 352
Rechargeable ion-transfer batteries
graphite electrodes with tailored porosity for rechargeable ion-transfer batteries, 267
Rechargeable lithium batteries
electrolyte solutions for anodes in rechargeable lithium batteries, 30
future prospects of the lithium metal anode, 82
recent trends in carbon negative electrode materials, 99
electrochemical characterization of various metal foils as a current collector of positive electrode for rechargeable lithium batteries, 301
a lithium-ion cell with an inorganic electrolyte, 402
design and performance of 10 Wh rechargeable lithium batteries, 436
analysis of surface films on lithium in various organic electrolytes, 471
in situ scanning vibrating electrode technique for lithium metal anodes, 501
studies of Al–Al_3Ni eutectic mixtures as insertion anodes in rechargeable lithium batteries, 506
synthesis and electrochemical characteristics of $Li(Ni \cdot M)O_2$ (M = Co, Mn) cathode for rechargeable lithium batteries, 545
preparation and electrochemical characteristics of quaternary Li–Mn–V–O spinel as the positive materials for rechargeable lithium batteries, 600
Reliability
safety and reliability considerations for lithium batteries, 75
Rietveld method
novel synthesis process and structure refinements of $Li_4Mn_5O_{12}$ for rechargeable lithium batteries, 613
Rocking-chair batteries
new lithium-ion conducting compounds $3Li_3N$–MI (M = Li, Na, K, Rb) and their application to solid-state lithium-ion cells, 416
novel 2 V rocking-chair lithium battery based on nano-crystalline titanium dioxide, 720
rocking-chair batteries based on $LiMn_2O_4$ and V_6O_{13}, 726
Ruthenium oxide
structure and charge/discharge characteristics of new layered oxides: $Li_{1-x}Ru_{0.6}Fe_{0.6}O_3$ and Li_2IrO_3, 686

Safety
safety and reliability considerations for lithium batteries, 75
safety characteristics of rechargeable lithium metal cells, 455
Scanning tunneling microscopy
electrochemical scanning tunneling microscopy analysis of the surface reactions on graphite basal plane in ethylene carbonate-based solvents and propylene carbonate, 221
Secondary batteries
global energy prospects in the 21st century: a battery-based society, 3
safety characteristics of rechargeable lithium metal cells, 455
new type polyamides containing disulfide bonds for positive active material of lithium secondary batteries, 735
Secondary lithium batteries
electrochemical scanning tunneling microscopy analysis of the surface reactions on graphite basal plane in ethylene carbonate-based solvents and propylene carbonate, 221
X-ray absorption fine structure study on Li–Mn–O compounds: $LiMn_2O_4$, $Li_4Mn_5O_{12}$ and Li_2MnO_3, 609
Semi-coke
great reversible capacity of carbon lithium electrode in solid polymer electrolyte, 236
Semi-covalent
low-temperature carbon fluoride for high power density lithium primary batteries, 708
Silica
properties and potential application of silica-gelled electrolytes for lithium-ion batteries, 387
Silicon polymers
pyrolysed silicon-containing polymers as high capacity anodes for lithium-ion batteries, 195
Silver
synthesis and characterization of a new trimetallic cathode material for lithium batteries, 730
Sol–gel method
effect of the lithium content on electrochemical lithium intercalation into amorphous and crystalline powdered $Li_{1\pm\delta}Mn_2O_4$ electrodes prepared by sol–gel method, 593

Sol–gel process
high-resolution images of ultrafine $LiCoO_2$ powders synthesized by a sol–gel process, 519
Solid electrolyte interfaces
characterization of modified NG7 graphite as an improved anode for lithium-ion batteries, 277
Solid electrolytes
ionic conductivity enhancement in $LiTi_2(PO_4)_3$-based composite electrolyte by the addition of lithium nitrate, 407
new lithium-ion conducting compounds $3Li_3N$–MI (M = Li, Na, K, Rb) and their application to solid-state lithium-ion cells, 416
formation of perovskite solid solutions and lithium-ion conductivity in the compositions, $Li_{2x}Sr_{1-2x}M^{III}_{0.5-x}Ta_{0.5+x}O_3$ (M = Cr, Fe, Co, Al, Ga, In, Y), 421
Solid polymer electrolytes
development of 10 Wh class lithium secondary cells in the 'New Sunshine Program', 13
solid polymer electrolytes for lithium cells, 37
performance characteristics of lithium-ion cells using in situ polymerized electrolytes, 352
electrochemical intercalation of lithium into carbons using a solid polymer electrolyte, 368
characterization of TiS_2 composite cathodes with solid polymer electrolyte, 660
Solid-state batteries
all oxide solid-state lithium-ion cells, 412
Solid-state polymer electrolytes
lithium polymer battery development for electric vehicle application, 432
Solvation
characterization of organic electrolyte systems by nuclear magnetic resonance and molecular orbital simulation: equilibrium constant and net charge distribution in solvation state, 304
Solvent decomposition
electrochemical scanning tunneling microscopy analysis of the surface reactions on graphite basal plane in ethylene carbonate-based solvents and propylene carbonate, 221
Spin coating
electrochemical lithium intercalation into vanadium pentoxide xerogel film electrode, 669
Spinel
the influence of doping on the operation of lithium manganese oxide spinel, 582
quality control of $Li_{1+\delta}Mn_{2-\delta}O_4$ spinels with their impurity phases by Jaeger and Vetter titration, 590
novel synthesis process and structure refinements of $Li_4Mn_5O_{12}$ for rechargeable lithium batteries, 613
nonstoichiometry and defect structure of spinel $LiMn_2O_{4-\delta}$, 641
Spinel compounds
the effects of the stoichiometry and synthesis temperature on the preparation of the inverse spinel $LiNiVO_4$ and its performance as a new high voltage cathode material, 549
Spinel-related manganese oxides
microvoltammetric studies on single particles of battery active materials, 139
Spinel structure
X-ray absorption fine structure study on Li–Mn–O compounds: $LiMn_2O_4$, $Li_4Mn_5O_{12}$ and Li_2MnO_3, 609
Stability
influence of morphology on the stability of $LiNiO_2$, 565
Standard electrode potential
cathode performance and voltage estimation of metal trihalides, 716
Structural phase transition
a ^7Li nuclear magnetic resonance study on spinel $LiMn_2O_{4-\delta}$, 637
Structure
nanostructure criteria for lithium intercalation in non-doped and phosphorus-doped hard carbons, 258
structural and electrochemical studies of α-manganese dioxide (α-MnO_2), 570
Structure refinement
novel synthesis process and structure refinements of $Li_4Mn_5O_{12}$ for rechargeable lithium batteries, 613
Substitution
lithium insertion behaviour of manganese or molybdenum substituted $Li_{1+x}V_3O_8$, 680
Sulfur dioxide
a lithium-ion cell with an inorganic electrolyte, 402
Surface chemistry
recent studies on the correlation between surface chemistry, morphology, three-dimensional structures and performance of Li and Li–C intercalation anodes in several important electrolyte systems, 91
Surface films
degradation mechanism of alkyl carbonate solvents used in lithium-ion cells during initial charging, 311
electrochemical and quartz microbalance technique studies of anode material for secondary lithium batteries, 480
Surface phenomena
the use of in situ Fourier-transform infrared spectroscopy for the study of surface phenomena on electrodes in selected lithium battery electrolyte solutions, 463
Surface protective film
electrochemical scanning tunneling microscopy analysis of the surface reactions on graphite basal plane in ethylene carbonate-based solvents and propylene carbonate, 221
Surface retarding films
a key technology to improve the cyclic performances of carbonaceous materials for lithium secondary battery anodes, 114

Tantalate
formation of perovskite solid solutions and lithium-ion conductivity in the compositions, $Li_{2x}Sr_{1-2x}M^{III}_{0.5-x}Ta_{0.5+x}O_3$ (M = Cr, Fe, Co, Al, Ga, In, Y), 421
Thermal decomposition
application of thermogravimetric studies for optimization of lithium hexafluorophosphate production, 326
Thermal stability
solid polymer electrolytes for lithium cells, 37
Thermogravimetric analysis
nonstoichiometry and defect structure of spinel $LiMn_2O_{4-\delta}$, 641
Thermogravimetric investigations
application of thermogravimetric studies for optimization of lithium hexafluorophosphate production, 326
Thin film deposition
thin film solid electrolytes and electrodes for rechargeable lithium-ion batteries, 65
Thin film lithium batteries
electrode and solid electrolyte thin films for secondary lithium-ion batteries, 377
Thin films
graphite multilayer thin films: a new anode material for Li-ion microbatteries synthesis and characterization, 204
all oxide solid-state lithium-ion cells, 412
electrochemical characterization of thin-film $LiCoO_2$ electrodes in propylene carbonate solutions, 540
Titanium
all oxide solid-state lithium-ion cells, 412
Titanium dioxide
novel 2 V rocking-chair lithium battery based on nano-crystalline titanium dioxide, 720

Titanium sulfide composite cathode
characterization of TiS_2 composite cathodes with solid polymer electrolyte, 660
Toluene
improvement in lithium cycling efficiency by using additives in lithium metal, 476
Trans-esterification
degradation mechanism of alkyl carbonate solvents used in lithium-ion cells during initial charging, 311
Transition metal oxides
structural aspects of lithium insertion in transition metal oxide electrodes, 24
Transport number
comparative ion transport in several polymer electrolytes, 372
Trilemma
global energy prospects in the 21st century: a battery-based society, 3

Ultrafine powders
high-resolution images of ultrafine $LiCoO_2$ powders synthesized by a sol–gel process, 519
Ultrasmall particle size
will advanced lithium-alloy anodes have a chance in lithium-ion batteries?, 87

Vanadate
lithium intercalation into the copper, nickel or manganese vanadates $Me(VO_3)_2 \cdot yH_2O$, 652
Vanadium
new inverse spinel cathode materials for rechargeable lithium batteries, 159
the effects of the stoichiometry and synthesis temperature on the preparation of the inverse spinel $LiNiVO_4$ and its performance as a new high voltage cathode material, 549
lithium intercalation into the copper, nickel or manganese vanadates $Me(VO_3)_2 \cdot yH_2O$, 652
study of lithium insertion into $Me^{n}V_2O_{5+n/2}$, Me = copper, iron or chromium, 656
synthesis and characterization of a new trimetallic cathode material for lithium batteries, 730
Vanadium oxides
safety characteristics of rechargeable lithium metal cells, 455
preparation and electrochemical characteristics of quaternary Li–Mn–V–O spinel as the positive materials for rechargeable lithium batteries, 600
the amorphous oxides $MnV_2O_{6+\delta}$ $(0<\delta<1)$ as high capacity negative electrode materials for lithium batteries, 698
rocking-chair batteries based on $LiMn_2O_4$ and V_6O_{13}, 726
Vanadium pentoxide
observation of structure change due to discharge/charge process of V_2O_5 prepared by ozone oxidation method, using in situ X-ray diffraction technique, 674
δ-LiV_2O_5 as a positive electrode material for lithium-ion cells, 723
Vanadium pentoxide xerogel films
electrochemical lithium intercalation into vanadium pentoxide xerogel film electrode, 669
Voltage estimation
cathode performance and voltage estimation of metal trihalides, 716
Voltage profile
unique charge/discharge properties of carbon materials with different structures, 271

Warburg impedance
a.c. impedance analysis of electrochemical lithium intercalation into highly oriented pyrolytic graphite, 227
Water
a key technology to improve the cyclic performances of carbonaceous materials for lithium secondary battery anodes, 114
Water molecule
electrochemical lithium intercalation into vanadium pentoxide xerogel film electrode, 669

X-ray absorption fine structure
X-ray absorption fine structure study on Li–Mn–O compounds: $LiMn_2O_4$, $Li_4Mn_5O_{12}$ and Li_2MnO_3, 609
X-ray absorption fine structure analysis
X-ray absorption fine structure and neutron diffraction analyses of de-intercalation behavior in the $LiCoO_2$ and $LiNiO_2$ systems, 536
X-ray absorption spectroscopy
X-ray absorption fine structure and neutron diffraction analyses of de-intercalation behavior in the $LiCoO_2$ and $LiNiO_2$ systems, 536
X-ray diffraction
high capacity carbon anode materials: structure, hydrogen effect, and stability, 296
X-ray photoelectron spectroscopy
X-ray photoelectron spectroscopy analyses of lithium intercalation and alloying reactions on graphite electrodes, 208